

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	318	registry with authent\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 10:54
L2	25	registry adj authent\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 11:13
L3	6	("713"/\$).ccls. and registry adj authent\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 11:13
L4	122	("713"/\$).ccls. and (registry with authent\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 11:14
L5	557	("713"/\$).ccls. and (registry) and authent\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 11:14
L6	119	("713"/200).ccls. and (registry) and authent\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 11:14
L7	119	("713"/200).ccls. and (registry) and authent\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 11:20
L8	321	((registry) with authent\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 11:21
L9	38	((registry) with authent\$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 11:28

L10	8	((registry) with authent\$).ab. and (authent\$ with value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 11:49
L11	44	(authent\$ with value) and (registry with authentication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 11:52
L12	1	(window with registry) and (registry with authentication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 11:53
L13	1615	(window with registry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 11:53
L14	65	(window with registry) and authent\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 11:57
L15	105	(window adj registry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 11:57
L16	3	(window adj registry) and authent\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 11:59
L17	3	(user with identity with value) and (registry with value) and (hash with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:01

L18	7	(user with identity with value) and (registry) and (hash with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:01
L19	107	(user with identity) and (registry) and (hash with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:01
L20	104	(user with identity) and (registry) and (hash with function) and authent\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:01
L21	51	(user with identity) and (registry) and (hash with function) and authent\$ and (registry with information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:05
L22	1	(user with identity) and ((hash with function) with ((password or pin) and username))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:06
L23	4	((hash with function) with ((password or pin) and username))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:06
L24	237	((hash with function) with ((password or pin) or username))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:06
L25	1	((hash with function) with ((password or pin) or username) and (registry with authent\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:06

L26	17	((hash with function) with ((password or pin) or username)) and (registry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:07
L27	383	(713/170).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:08
L28	1248	(713/176).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:09
L29	910	(713/168).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:09
L30	231	(713/169).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:10
L31	54	(713/176).ccls. and registry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:10
L32	46	(713/176).ccls. and registry and authent\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:10
L33	137	("380"/\$).ccls. and registry and authent\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:11

L34	14	("380"/\$).ccls. and (registry with authent\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:11
L35	122	("713"/\$).ccls. and (registry with authent\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:11
L36	16	("713"/\$).ccls. and (registry with authent\$) and (hash with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:19
L37	198	(713/161).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:19
L38	3	(713/161).ccls. and registry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:19
L39	1001	("713"/\$).ccls. and registry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:19
L40	557	("713"/\$).ccls. and registry and authent\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:20
L41	104	("713"/\$).ccls. and registry and authent\$ and (hash with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:20

L42	81	("713"/\$).cccls. and registry and authent\$ and (hash with function) and (pin or password)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:20
L43	7	("713"/\$).cccls. and registry and authent\$ and (hash with function) and (pin or password) and username	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 12:20